

2011 San Joaquin County Annual STD Report

Table 1: STD Cases, SJC, 2010 & 2011

	2010	2011
Gonorrhea	707	624
Chlamydia	3624	3805
Syphilis (all stages)	73	88
Primary	12	15
Secondary	21	28
Early latent (<1yr)	10	11
Late latent & unk. latent	25	30
Congenital	5	4
Neuro*	1	5

* Neurosyphilis is a sequela of syphilis and is not a stage of syphilis

Figure 1. Gonorrhea & Chlamydia Cases by City of Residence, SJC, 2011





Figure 2. Monthly Gonorrhea Trends, SJC, 2010 & 2011



* The increase in December 2011 reflects an artifact of reporting, and does not indicate a significant increase in cases.

Figure 3. Monthly Chlamydia Trends, SJC, 2010 & 2011




Table 2: Gonorrhea Cases by Age and Gender, SJC, 2011

Age category	Gonorrhea		
	Female	Male	Total
0-4	0	0	0
5-9	0	0	0
10-14	4	3	7
15-19	108	49	157
20-24	135	81	216
25-29	56	50	106
30-34	21	26	47
35-39	19	25	44
40-44	5	16	21
45-54	5	11	16
55-64	1	6	7
65+	0	1	1
unknown	0	0	0
TOTAL	354	268	622

*2 cases were of unknown gender

Table 3: Chlamydia Cases by Age and Gender, SJC, 2011

Age category	Chlamydia		
	Female	Male	Total
0-4	0	1	1
5-9	0	0	0
10-14	29	9	38
15-19	921	253	1174
20-24	1029	406	1435
25-29	360	237	597
30-34	177	109	286
35-39	73	53	126
40-44	38	27	65
45-54	30	22	52
55-64	6	8	14
65+	2	0	2
unknown	1	0	1
TOTAL	2666	1125	3791

*14 cases were of unknown gender

Note: Morbidity is based on the date of report. Totals may change due to additions and/or deletions from the database.