

**Preliminary Summary Statistics of
Reported and Verified Cases of Tuberculosis in
San Joaquin County (SJC) in 2014, (N=54)
County Rate = 7.7 Cases per 100,000 Population**

I. Demographic Information

Table I-A: TB cases by gender, SJC, 2014 (N=54)

GENDER	NUMBER OF CASES	PERCENT OF CASES
Male	27	50.0%
Female	27	50.0%

Table I-B: TB cases by age group at time of diagnosis, SJC, 2014 (N=54)

AGE GROUP (YEARS)	NUMBER OF CASES	PERCENT OF CASES
0-4	5	9.3%
5-14	0	0.0%
15-24	1	1.9%
25-44	14	25.9%
45-64	14	25.9%
65+	20	37.0%

Table I-C: TB cases by city of residence at time of diagnosis, SJC, 2014 (N=54)

CITY OF RESIDENCE	NUMBER OF CASES	PERCENT OF CASES	RATE PER 100,000 POPULATION ¹
Stockton	32	59.3%	10.6
Lodi	9	16.7%	14.1
Manteca	4	7.4%	5.5
Tracy	3	5.6%	3.5
Other San Joaquin County cities	6	11.1%	NA ²

¹ Population denominator source: State of California, Department of Finance, *E-1 Population Estimates for Cities, Counties and the State with Annual Percent Change — January 1, 2013 and 2014, Sacramento, California, May 2014*

² Population denominators not available for some San Joaquin County cities

**Preliminary Summary Statistics of
Reported and Verified Cases of Tuberculosis in
San Joaquin County (SJC) in 2014, (N=54)
County Rate = 7.7 Cases per 100,000 Population**

Table I-D: TB cases by select race/ethnicity, SJC, 2014 (N=54)

RACE/ETHNICITY	NUMBER OF CASES	PERCENT OF CASES	RATE PER 100,000 POPULATION ¹
Asian/P.I.	23	42.6%	22.8
Cambodian	9	16.7%	NA ²
Filipino	8	14.8%	NA ²
Hmong	1	1.9%	NA ²
Indian	1	1.9%	NA ²
Laotian	2	3.7%	NA ²
Taiwanese	1	1.9%	NA ²
Vietnamese	1	1.9%	NA ²
White	14	25.9%	5.7
Hispanic	12	22.2%	4.2
Black	5	9.3%	10.0
A.I./A.N.	0	0.0%	0.0

¹Population denominator source: State of California, Department of Finance, *P-3 Population Projections by Race/Ethnicity and Detailed Age 2010 through 2060 (as of July 1)*, Sacramento, California, December 2014

²2014 Population denominators not available for Asian/Pacific Islander subpopulations

Table I-E: TB cases by country of origin, SJC, 2014 (N=54)

COUNTRY OF ORIGIN	NUMBER OF CASES	PERCENT OF CASES
U.S. Born	27	50.0%
Foreign Born	27	50.0%
Mexico	8	14.8%
Philippines	7	13.0%
Cambodia	6	11.1%
Laos	2	3.7%
Guatemala	1	1.9%
India	1	1.9%
Hong Kong	1	1.9%
Taiwan	1	1.9%

**Preliminary Summary Statistics of
Reported and Verified Cases of Tuberculosis in
San Joaquin County (SJC) in 2014, (N=54)
County Rate = 7.7 Cases per 100,000 Population**

II. Clinical Profile of Reported Cases

Table II: TB cases by diagnosis category, SJC, 2014 (N=54)

TB DIAGNOSIS	NUMBER OF CASES	PERCENT OF CASES
Previous Diagnosis of Tuberculosis	2	3.7%
Site of Disease – Pulmonary Only	42	77.8%
Site of Disease – Extrapulmonary Only¹	8	14.8%
Pleural	2	3.7%
Cervical	1	1.9%
Bone	2	3.7%
Meningeal	1	1.9%
Intrathoracic	1	1.9%
Other	1	1.9%
Site of Disease – Both Pulmonary and Extrapulmonary¹	4	7.4%
Pulmonary & Lymphatic	3	5.6%
Pulmonary & Meningeal	2	3.7%

¹Extrapulmonary subcategories are not mutually exclusive

III. Associated Risk Factors at the Time of Diagnosis

Table III: TB cases by select risk factors, SJC, 2014 (N=54)

RISK FACTOR	NUMBER OF CASES	PERCENT OF CASES
Diabetes Mellitus Diagnosis	14	25.9%
Non-injection Drug Use within Past Year	9	16.7%
Excess Alcohol Use within Past Year	9	16.7%
Healthcare Worker	7	13.0%
Homelessness	6	11.1%
Long-term Care Institutionalization	4	7.4%
Injection Drug Use within Past Year	1	1.9%
HIV/AIDS Diagnosis	0	0.0%